Connecttività da tavolo

On desk connectivity

Il design e la soluzione su misura per la connettività su tavoli di qualsiasi spessore.

IBCONNECT

ΕN

The customized design solution any thickness.



IT. Supra montato su


EN. Supra mounted on height adjustable desk.




IT. Il design di Supra nasconde le viti di montaggio.

EN. Supra design hides mounting screws.

Misure / Measures





IT

Installazione rapida e flessibile

Il sistema di installazione ancorato al ripiano del tavolo consente un fissaggio rapido e semplice. senza dover perforare il tavolo e senza elementi aggiuntivi. Sono disponibili accessori per adattarsi a tavoli di diversi spessori, da 5 mm a 55 mm.

Sistema modulare

Consente configurazioni personalizzate che combinano prese di corrente di diversi paesi, caricatori USB, elementi per dati e multimediali. Il sistema modulare facilita il montaggio e la possibilità di scambiare gli elementi per dati e multimediali, grazie all'ingresso diretto dei cavi sul retro.

Applicazioni

- Mobili da ufficio operativi.
- Mobili tecnici e di laboratori.
- Mobili in vetro.
- Sale polivalenti.

Caratteristiche

- Configurazione su misura.
- Installazione in superficie per tavoli con ripiani fino a 55 mm di spessore.
- Sostituzione rapida e semplice dei moduli multimediali.

Caratteristiche tecniche

- Profilo in alluminio laccato nero (RAL 9017), bianco (RAL 9010) o anodizzato C27 naturale.
- Ingresso dell'alimentazione tramite cavo flessibile posteriore con connettore rapido maschio all'estremità.
- Ingresso dati e multimediale tramite accesso diretto sul retro del profilo.
- Dispositivi di fissaggio regolabili: modello "A", per ripiani da 5 mm a 30 mm di spessore; modello "B", per ripiani da 30 mm a 55 mm di spessore; o modello "C", per ripiani da 15 mm a 40 mm di spessore (fissaggio mediante chiave a brugola 3).


Modello A / Model A



Modello B / Model B



Modello C / Model C



ΕN

Quick and flexible installation

Its clamp bracket mounting system allows quick and easy installation in desktop without machining the table or using additional components. Standard fixings available to suit any desk thickness from 5mm to 55mm.

Modular system

It allows to manufacture customized configurations combining power sockets from most countries. USB chargers. data and multimedia elements. The modular system facilitates the mounting and components interchanging with rear direct cable input.

Applications

- Operational office furniture.
- Technical and laboratories furniture.
- Glass furniture.
- Polivalent rooms.

Dettagli che ci rendono diversi Details that make us different

White

Disponibile in bianco. Available in white.



Funzioni multimediali configurabili. Configurable multimedia.



Fabbricazione su misura. Custom manufacturing



Compatibile con il sistema organizzativo Orgatech. Compatible with Orgatech cable management.

Features

- Custom configuration.
- On desk installation for edges up to 55mm. thick.
- Quick and easy exchange of multimedia modules.

Technical characteristics

- Made of black (RAL 9017), white (RAL 9010) lacquered aluminium profile, or C27 natural anodized finish.
- Rear power input through cable with male rapid connector on end.
- Rear input of data and multimedia by direct access in the profile.
- Fixations system by adjustable clamp brackets: model "A", for table thicknesses from 5 to 30mm.; model "B", for table thicknesses from 30 to 55mm: or model "C", for table thicknesses from 15 to 40mm. (Allen no. 3 tool fixing).

IBCONNECT

IBConnect

Pol. El Escopar, 5 31350 Peralta (Navarra) SPAIN

T. +34 948 753 282 F. +34 948 751 462

www.ib-connect.com

National Sales comercial@ib-connect.com

International Sales export@ib-connect.com

Follow us











Compatibile con "Ultra-Compact USB Smart Charging System" fino Compatible with "Ultra-Compact

USB Smart Charging System" up to 60W.

IT. Supra in ufficio su scrivanie accoppiate.

EN. Supra installed on bench office desk